



ጤና ሚኒስቴር - ኢትዮጵያ  
MINISTRY OF HEALTH-ETHIOPIA

# Health Centre /Clinic/Hospital PNC Register

---

Region

---

Zone/Subcity/Woreda

---

Health Facility Name

---

Begin Date

---

End Date



# INSTRUCTIONS FOR POSTNATAL CARE REGISTRATION

The register is kept in PNC room (HC/Clinic/Hospital) completed by postnatal care provider  
Location information to be completed at front of the registry

Region	Write the region where the facility is located
Woreda / Sub-City	Write the woreda/sub-city where the facility is located.
Name of Health Facility	Write the name of the health facility.
Register begin date	Enter the date of the first entry in the register, written as (EC) Day / Month / Year (DD/MM/YY)
Register end date	Enter the date of the last entry in the register, written as (EC) Day / Month Year(DD/MM/YY)

SN	Datum	Comments
Identification information: Personnel		
1	S.N	Sequential serial number in registration book; to be entered on client’s registration card for later identification in the register
2	Name	Write the Name of the Mother
3	MRN	Unique individual identifier for mother used on medical Information folder, for HC and hospital.
4	Age	Write age of the mother in years
5	Woreda / Kebele	Write Woreda in upper row and Kebele in the lower row
6	Infant’s date of birth	Infant’s date of birth written as (DD/MM/YY)
7	Place of Delivery write code	write code place of delivery 1=Same Facility 2=Other Facility 3=Home
8	MRN (Infant’s )	Information folder, for HC and hospital. Unique individual identifier for infant used on medical
9	Sex (M/F)	Enter <b>M</b> for <b>male</b> or <b>F</b> for <b>female</b>
PNC visits:		
10	Visit Time (period)	Visit time: <ul style="list-style-type: none"><li>24 hrs = PNC visit period for those mothers stay 24 hours after delivery.</li><li>25-48 hrs = For those mothers who came for PNC service within 25-48 hrs after delivery.</li><li>49-72 hrs = For those mothers who came for PNC service within 49-72 hrs after delivery</li><li>73 hrs -7days = For those mothers who came for PNC service within 73 hrs -7days after delivery</li><li>8-42days = For those mothers who came for PNC service within 8-42 days after delivery</li></ul>
11	Date of visit (DD/MM/YY)	Write date of the visit in (DD/MM/YY) in Ethiopia calendar
Assessment : Maternal		
12	Maternal Health Condition writ code	Write code 1.Normal 2.Complicated and managed 3.Complicated and referred 4. Died
Maternal Complication		
13	PPH (v)	Tick(v) if the mother developed PPH
14	Other Obstetric Complications	Other Obstetric Complications (Write code: PE, E, SEP, OTH)
HIV assessment		
15	HIV Test accepted(v)	Tick (v) if the women accepted HIV Test.
16	HIV re-testing accepted (v)	Tick(v) if HIV re-testing is accepted
17	HIV test result (P or N)	Write P for HIV positive result and N for HIV negative results
18	Targeted population category write code	Fill column 15 selecting from the list of target population category listed, an individual needs to be assigned only in one category that best describe him/her.  A. Female Commercial Sex workers B. Long distance drivers C. Mobile/Daily Laborers D. Prisoners E. OVC F. Children of PLHIV G. Partners of PLHIV H. Other MARPS I. General population
19	HIV Positive Linked to ART(v)	Tick (v) if the woman is positive and linked to ART.
20	Known HIV positives (transferred from ART) (v)	Tick if the mother is known for HIV positive referred from ART
Partner testing		
21	HIV Testing accepted	Tick (v) if HIV test offered
22	HIV Test results (P or N)	Write P for HIV positive, N for negative result and I for indeterminate result
23	Targeted population category	Use the above category code
24	HIV Positive partner Linked to ART	Tick (v) if the partner is positive and linked to ART.
Counseling on		
25	Danger signs(v)	Tick (v) if Counseling on Danger signs given
26	Breast feeding/nutrition(v)	Tick (v) if Counseling on Breast feeding/Nutrition is given
27	Newborn care (including cord care) (v)	Tick (v) if Counseling on Newborn care and cord care given
28	Family Planning(v)	Tick (v) if Counseling on Family Planning given
29	EPI(v)	Tick (v) if Counseling on EPI given
30	Early Childhood Development(v)	Tick (v) if Counseling on Early Childhood development / Care for Child Development
Assessment infant/ newborn		
31	Weight in grams	Write weight of newborn in gram

32	Breastfeeding	Tick (v)if newborn is breastfeeding
33	Problem identified	Write code if more than one problem was identified write all codes separate with comma like (1,5,7.....) (write code) 1.Normal 2.prematurity 3.sepsis/VSD 4. respiratory distress 5.perinatal asphyxia 6.LBW 7.Congenital malformation 8.Abscence of reflex. 9.Jaundice. 10. HC <33cm. 11.Other (specify)
34	Treatment Given	Write code if more than one treatment was given identified write all codes separate with comma like (1,5,7.....) Treatment** given (write code) 1.Oxygen resustation 2.KMC 3.Antibiotic 4.Chlorhexidene 5.Blood transfusion 6.Others
35	Treatment Outcome	Treatment Outcome (Write code): 1. Improved, 2.No change, 3. Died , 4.Referal 5.Unknown , 6.Resuscitated and survived
36	Age at death	Write age of death in days
37	Cause of Death Write code	<b>Write code cause of death</b> 1.Prematurity, 2.Infection 3.Asphexiya, 4.Other
IPFPF		
38	New acceptor (v)	Tick (v) if client is new acceptor at the time of registration. A new acceptor is someone who has not received a contraceptive method from a recognized Provider before registration.
39	Repeat acceptor (v)	Tick (v) if client is repeat acceptor at the time of registration. A repeat acceptor is someone who is not a new acceptor; in other words, a repeat acceptor has received a contraceptive method from a recognized Provide before registration.
40	Type of immediate PPFP methods received( 0-48hrs)	Contraceptive method provided (record modern methods only) Abbreviate type as follows: <b>POP=Progestin only pill</b> <b>Imp=Implant</b> <b>IUCD=Intrautrine device</b> <b>TL=Tubaligation</b> <b>Oth=Other</b>
41	Managed by	Write name of care provider that give service for specific visit
42	Remark	Enter Any Remark



# PNC Register

Identification									PNC Visits		Maternal Health Condition writ code	Maternal Complication		HIV Assessment					Known HIV positives (transferred from ART) (V)	Partner testing			Counseled on						Newborn						IPFPF			Managed by	Remark									
Personal information					Infant's Date of birth(DD/MM/YY)	Place of Delivery (write code)	MRN (Infant's)	Sex (M/F)	Visit Time (Period)	Date of visit (DD/MM/YY)		PPH (V)	Other Obstetric Complications (Write code: PE, E, SEP, OTH)	HIV testing accepted (V)	HIV re-testing accepted (V)	HIV test result (P/N)	Target population Category write code	HIV positives linked to ART(V)		HIV Testing accepted (V)	HIV Test results (P/N)	Target population Category write code	HIV positives Partner linked to ART(V)	Danger signs(V)	Breast feeding/nutrition(V)	Newborn care (including cord care) (V)	Family Planning(V)	EPI(V)	Early Childhood Development (ECD) (V)	Weight in gram	Breast feeding(V)	Problem** identified (write code)	Treatment** given (write code) 1.Oxygen resuscitation 2.KMC 3.Antibiotic 4.Chlorhex- idene 5.Blood trans- fusion 6.Others (Specify)	Treatment Out come (Write code)	Age at death	Cause of death Write code 1.Prematu- rity 2.Infection 3.Asphexiya 4.Other	New acceptor (V)			Repeat acceptor(V)	type of immediate PPFP methods re- ceived( 0-48hrs) ***							
S.N	Name	MRN	Age	Woreda/ Kebele																																												
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)							
									24 hrs																																							
									25-48 hrs																																							
									49-72 hrs																																							
									73 hrs -7 days																																							
									8 - 42 days																																							
									24 hrs																																							
									25-48 hrs																																							
									49-72 hrs																																							
									73 hrs -7 days																																							
									8 - 42 days																																							
									24 hrs																																							
									25-48 hrs																																							
									49-72 hrs																																							
									73 hrs -7 days																																							
									8 - 42 days																																							
									24 hrs																																							
									25-48 hrs																																							
									49-72 hrs																																							
									73 hrs -7 days																																							
									8 - 42 days																																							

**Place of Delivery code :col(7)**  
1=Same Facility  
2=Other Facility  
3=Home

**Targeted population category (18)**  
A. Female Commercial Sex workers  
B. Long distance drivers  
C. Mobile workers/daily laborers  
D. Prisoners  
E. OVC/Children of PLHIV  
F. Other MARPS  
G.General Population

1.Normal  
2.Complicated andmanaged  
NB \*\*Write code if more than one problem was identified/Treatment given write all codes separate with comma like (1,4,6.....)NB \*\*Write code if more than one problem was identified/Treatment given write all codes separate with comma like (1,4,6.....)

24 hr (1 days)		Maternal death	Count PPH	Count HIV tested
25-48 hrs (1-2 days)				
49-72 hrs (2-3 days)				
73 hrs -7 days (4-7days)				

**Maternal Health Condition code :col(12)**  
1.Normal  
2.Complicated and managed  
3.Complicated and referred  
4. Died

**Problem\*\* identified (write code): Col.(33)**  
1.Normal  
2.prematurity  
3.sepsis/VSD  
4. respiratory distress  
5.perinatal asphyxia  
6.LBW  
7.Congenital malformation  
8.Absence of reflex.  
9.Jaundice.  
10. HC <33cm.  
11.Other (specify)

Count # of newborn Resuscitated & survive	
Count # of deaths within 0-24hrs	
Count # of deaths within 1-7 days	
Count # of deaths within 7-28 days	

**Treatment Out come, Code for Col.35**  
1.Improved  
2.No change  
3. Died  
4. Referral  
5. Unknown  
6. Resuscitated and survived

**Use Abbreviation For col. 40**  
POP=Progestin only pill  
Imp=Implant  
IUCD=Intrautrine device  
TL=Tubaligation  
Oth=Other

Use FP tally Sheet to capture Age and Method disaggregation\*\*\*In order to avoide duplication IPPFP should be registered only if service is provided in the unit